American Journal of Physiology: Cell Physiology

No. 1. JULY 1991

INVITED REVIEW

Clear zone in osteoclast function: role of podosomes in regulation of bone-resorbing activity
A. Teti, P. C. Marchisio, and A. Zambonin Zallone C1

Differences between OK and LLC-PK_1 cells: cystine handling
B. States, D. Harris, and S. Segal C8

Rapid increase in inositol phosphate levels in norepinephrine-stimulated vascular smooth muscle
H. Gu, H. Martin, R. J. Barsotti, and E. F. LaBelle C17

Depression of delayed outward K^+ current by Co^{2+} in guinea pig ventricular myocytes
Z. Fan and M. Hiraoka C23

Regulation of permeabilized endothelial cell retraction by myosin phosphorylation
R. B. Wysolmerski and D. Lagunoff C32

Relaxation, $[Ca^{2+}]_i$, and the latch-bridge hypothesis in swine arterial smooth muscle
C. M. Rembold C41

Colonic Cl channel blockade by three classes of compounds
A. K. Singh, G. B. Afink, C. J. Venglarik, R. Wang, and R. J. Bridges C51

Inhibition of electrical slow waves and Ca^{2+} currents of gastric and colonic smooth muscle by phosphatase inhibitors
S. M. Ward, F. Vogalis, D. P. Blondfield, H. Ozaki, N. Fusetani, D. Uemura, N. G. Publicover, and K. M. Sanders C64

Carbohydrate supplementation attenuates IMP accumulation in human muscle during prolonged exercise
M. K. Spencer, Z. Yan, and A. Katz C71

Effect of angiotensin II on cytosolic free calcium in neonatal rat cardiomyocytes
D. C. Kem, E. I. M. Johnson, A. M. Capponi, D. Chardonnens, U. Lang, B. Blondel, H. Koshida, and M. B. Vallotton C77

Frog semitendinosis tendon load-strain and stress-strain properties during passive loading
R. L. Lieber, M. E. Leonard, C. G. Brown, and C. L. Trestik C86

MHC composition and enzyme-histochemical and physiological properties of a novel fast-twitch motor unit type
L. Larsson, L. Edström, B. Lindegren, L. Gorza, and S. Schiaffino C93

Chronic cobalt causes hypertrophy of glomus cells in the rat carotid body
C. Di Giulio, P. G. Data, and S. Lahiri C102

Glucocorticoids increase Ca^{2+} uptake and [^{3}H]dihydropyridine binding in A7r5 vascular smooth muscle cells
T. Hayashi, T. Nakai, and S. Miyabo C106

Inwardly rectifying potassium current in mammalian lens epithelial cells
K. Cooper, J. L. Rae, and J. Dewey C115

Differential regulation of Na-K-ATPase isoform gene expression by T_3 during rat brain development
I. Corthésy-Theulaz, A.-M. Mérillat, P. Honegger, and B. C. Rossier C124

pH_i regulation in frog retinal pigment epithelium: two apical membrane mechanisms
H. Lin and S. S. Miller C132

Quantitation and topography of membrane proteins in highly water-permeable vesicles from ADH-stimulated toad bladder
H. W. Harris, M. L. Zeidel, and C. Hosselet C143

Prolonged incubation of skeletal muscle in vitro: prevention of increases in glucose transport
E. A. Gulve, G. D. Cartee, and J. O. Holloszy C154

Inhibition of gap junction-mediated intercellular communication by α-linolenate
C. M. Hasler, M. R. Bennink, and J. E. Trosko C161

Reduced glycolytic metabolism in regenerated fast-twitch skeletal muscle
M. A. Wineinger, F. Gorin, R. Tait, B. Froman, and R. C. Carlsen C169

Agonist-induced frequency modulation of Ca^{2+} oscillations in salt gland secretory cells
K. M. Crawford, E. L. Stuenkel, and S. A. Ernst C177

Na-Ca exchange: evidence against a Ping-Pong mechanism and against a Ca pool in ferret red blood cells
M. A. Milanick C185

No. 2. AUGUST 1991

INVITED REVIEW

Cellular mechanisms of fatigue in skeletal muscle
H. Westerblad, J. A. Lee, J. Lännergren, and D. G. Allen C195

Inositol phosphates and $[Ca^{2+}]_i$ signals in a differentiating exocrine cell
J.-P. Hildebrandt and T. J. Shuttleworth C210

Blockade by lithium ions of potassium channels in rat anterior pituitary cells
M. Kato, P.-M. Lledo, and J.-D. Vincent C218

Mechanism of insulin-induced activation of Na^+-K^+-ATPase in isolated rat soleus muscle
E. Weil, S. Sasson, and Y. Gutman C224

Effects of pH on intracellular calcium levels in isolated cochlear outer hair cells of guinea pigs
K. Ikeda, Y. Saito, A. Nishiyama, and T. Takasaka C231

Altered binding site for Ca^{2+} in the ryanodine receptor of human malignant hyperthermia
H. H. Valdivia, K. Hogan, and R. Coronado C237

Two cationic amino acid transport systems in human placental basal plasma membranes
T. C. Furesz, A. J. Moe, and C. H. Smith C246

Change of Ca^{2+} requirement for myosin phosphorylation by prostaglandin $F_{2\alpha}$
E. Suematsu, M. Resnick, and K. G. Morgan C253

Correlates of fatigue resistance in canine skeletal muscle stimulated electrically for up to one year
C. N. Mayne, W. A. Anderson, R. L. Hammond, B. R. Eisenberg, L. W. Stephenson, and S. Salmons C259

Neurotransmission in the urinary bladder of rabbits and guinea pigs
K. E. Creed, Y. Ito, and H. Katsuyama C271

Potassium currents in freshly dispersed myometrial cells
E. Piedras-Rentería, E. Stefani, and L. Toro C278

Influence of hyperthyroidism on maximal shortening velocity and myosin isoform distribution in skeletal muscles
V. J. Caiozzo, R. E. Herrick, and K. M. Baldwin C285

Intestinal and renal Na^+/glucose cotransporters share common structures
B. A. Hirayama, H. C. Wong, C. D. Smith, B. A. Hagenbuch, M. A. Hediger, and E. M. Wright C296

Inhibition of glycogenesis in rat muscles partially depleted of glycogen
J. Górski, I. Krawczuk, M. Górska, and J. Rutkiewicz C305

Divalent cations modulate the transient outward current in rat ventricular myocytes
Z. S. Agus, I. D. Dukes, and M. Morad C310

Sodium transport and intracellular sodium activity in cultured human nasal epithelium
N. J. Willumsen and R. C. Boucher C319

Transcellular sodium transport in cultured cystic fibrosis human nasal epithelium
N. J. Willumsen and R. C. Boucher C332

Adenine nucleotide synthesis in exercising and endurance-trained skeletal muscle
P. C. Tullson and R. L. Terjung C342

Human osteoblasts synthesize and respond to platelet-derived growth factor
L. Zhang, E. Leeman, D. C. Carnes, and D. T. Graves C348

MODELING IN PHYSIOLOGY

Viscoelastic properties of the contracting detrusor. I. Theoretical basis
J. G. Venegas C355

Viscoelastic properties of the contracting detrusor. II. Experimental approach
J. G. Venegas, J. P. Woll, S. B. Woolfson, E. G. Cravalho, N. Resnick, and S. V. Yalla C364

Constrained optimization and protein structure determination
J. Eisenfeld, S. Vajda, I. Sugar, and C. DeLisi C376

RAPID COMMUNICATIONS

Regulation of Ca^{2+}-activated K^+ channels by protein kinase A and phosphatase inhibitors
A. Carl, J. L. Kenyon, D. Uemura, N. Fusetani, and K. M. Sanders C387

Ca^{2+} current and Ca^{2+} transients under action potential clamp in guinea pig ventricular myocytes
J. Arreola, R. T. Dirksen, R.-C. Shieh, D. J. Williford, and S.-S. Sheu C393

No. 3. SEPTEMBER 1991

INVITED REVIEW

Chloride conductance pathways in heart
J. R. Hume and R. D. Harvey C399

Histamine H_1-receptor-mediated keratan sulfate production in rabbit chondrocytes: involvement of protein kinase C
K. Fukuda, H. Yamasaki, Y. Nagata, H. Motoyoshi, F. Matsumura, T. Kuno, and S. Tanaka C413

Changes in pattern of phospholipid acylation during in vivo aging of rat red blood cells
J. Le Petit-Thevenin, O. Nobili, and J. Boyer C417

Estrogen modulates phospholipid acylation in red blood cells: relationship to cell aging
J. Le Petit-Thevenin, B. Lerique, O. Nobili, and J. Boyer C423

Effect of flow on prostaglandin E_2 and inositol trisphosphate levels in osteoblasts
K. M. Reich and J. A. Frangos C428

Regulation of Na-K-2Cl cotransport in osteoblasts
N. Whisenant, B.-X. Zhang, M. Khademazad, P. Loessberg, and S. Muallem C433

Regulation of cell volume by the osteosarcoma cell line UMR-106-01
M. Khademazad, B.-X. Zhang, P. Loessberg, and S. Muallem C441

Disappearance of the protein of a somatic mutation: a possible example of stem cell inactivation
J. G. Adams, C. L. Hardy, and M. H. Steinberg C448

Increased erythropoietin secretion in human hepatoma cells by N^6-cyclohexyladenosine
J. Nakashima, J. Brookins, B. Beckman, and J. W. Fisher C455

Developmental regulation of the hepatic acute phase response
S. J. Schwarzenberg, C. J. Potter, and S. A. Berry C461

Mn and Cd transport by the Na-Ca exchanger of ferret red blood cells
M. D. S. Frame and M. A. Milanick C467

Kinetic superiority of intra- vs. extracellular pentose pathway flux: studies in porous adipocytes
K. L. McCormick and G. J. Mick C476

Effects of pH on Ca_i^{2+}, Na_i^+, and pH_i of MDCK cells: Na^+-Ca^{2+} and Na^+-H^+ antiporter interactions
A. B. Borle and C. Bender C482

Isolation and characterization of rat submandibular intralobular ducts
J. P. Dehaye and R. J. Turner C490

Acetylcholine Ca^{2+} stores refilling directly involves a dihydropyridine-sensitive channel in dog trachea
J.-P. Bourreau, A. P. Abela, C. Y. Kwan, and E. E. Daniel C497

Cis-inhibition and *trans*-stimulation of cationic amino acid transport in the perfused rat pancreas
J. H. Sweiry, M. Muñoz, and G. E. Mann C506

Modulation of leukotriene B_4 and platelet-activating factor binding to neutrophils
M. Yamazaki, T. F. P. Molski, T. Stevens, C.-K. Huang, E. L. Becker, and R. I. Sha'afi C515

Dibutyryl cAMP activates bumetanide-sensitive electrolyte transport in Malpighian tubules
J. L. Hegarty, B. Zhang, T. L. Pannabecker, D. H. Petzel, M. D. Baustian, and K. W. Beyenbach C521

Hypertrophy of isolated adult feline heart cells following β-adrenergic-induced beating
W. A. Clark, S. J. Rudnick, J. J. LaPres, M. Lesch, and R. S. Decker C530

Carbachol-stimulated phosphorylation of a 170-kDa endogenous protein in avian salt gland cells
J. Torchia, Y. Qu, J. Francis, D. J. Pon, and A. K. Sen C543

SPECIAL COMMUNICATIONS

Integration of embryonic nephrogenic cells carrying a reporter gene into functioning nephrons
C. Koseki, D. Herzlinger, and Q. Al-Awqati C550

No. 4. OCTOBER 1991

INVITED REVIEW

Epithelial ion transport in the fetal and perinatal lung
H. O'Brodovich C555

Carbonic anhydrase and chemoreception in the cat carotid body
R. Iturriaga, S. Lahiri, and A. Mokashi C565

Cl^- secretion in epithelial monolayers of mucus-forming human colon cells (HT-29/B6)
K.-M. Kreusel, M. Fromm, J.-D. Schulzke, and U. Hegel C574

Internal and external TEA block in single cloned K^+ channels
G. E. Kirsch, M. Taglialatela, and A. M. Brown C583

Okadaic acid inhibits activation of K-Cl cotransport in red blood cells containing hemoglobins S and C
E. P. Orringer, J. S. Brockenbrough, J. A. Whitney, P. S. Glosson, and J. C. Parker C591

Immediate early gene and HSP70 expression in hyperosmotic stress in MDCK cells
D. M. Cohen, J. C. Wasserman, and S. R. Gullans C594

Inhibition of ion conductances by osmotic shrinkage of Madin-Darby canine kidney cells
M. Ritter, M. Steidl, and F. Lang C602

Effects of phenylarsine oxide on insulin-stimulated system A amino acid uptake in skeletal muscle
E. J. Henriksen C608

Optical measurements of the dependence of chemoreception on oxygen pressure in the cat carotid body
W. L. Rumsey, R. Iturriaga, D. Spergel, S. Lahiri, and D. F. Wilson C614

HETEs and coronary artery endothelial cells: metabolic and functional interactions
E. E. I. Gordon, J. A. Gordon, and A. A. Spector C623

Nitric oxide synthesis in endothelial cells: evidence for a pathway inducible by TNF-α
S. Lamas, T. Michel, B. M. Brenner, and P. A. Marsden C634

Intracellular pH on adrenergic-stimulated cAMP and cGMP production in rat pinealocytes
A. K. Ho, M. Girard, I. Young, and C. L. Chik C642

Effect of mucosal halides on Ca^{2+}-blockable currents through the skin of *Rana ridibunda*
F. Lacaz-Vieira and W. Van Driessche C650

Swelling-induced and depolarization-induced Cl^- channels in normal and cystic fibrosis epithelial cells
C. K. Solc and J. J. Wine C658

Inhibition of phorbol ester-induced contraction by calmodulin antagonists in rat aorta
J. K. Chuprun, E. Bazan, K.-C. Chang, A. K. Campbell, and R. M. Rapoport C675

Norepinephrine increases Na-Ca exchange in rabbit abdominal aorta
M. A. Khoyi, R. A. Bjur, and D. P. Westfall C685

Muscle-specific regulation of the heme biosynthetic enzyme 5′-aminolevulinate synthase
D. A. Essig and L. A. McNabney C691

Serum and growth factor induction of Na^+-K^+-ATPase subunit mRNAs in Clone 9 cells: role of protein kinase C
A. Bhutada and F. Ismail-Beigi C699

SPECIAL COMMUNICATIONS

A replica filter assay for expression of ion transport proteins
S. Obici, Q. Al-Awqati, E. V. Avvedimento, and M. E. Gottesman C708

RAPID COMMUNICATIONS

Reconstitution of isolated Ca^{2+}-activated K^+ channel proteins from basolateral membranes of rabbit colonocytes
S. Liu, W. P. Dubinsky, M. K. Haddox, and S. G. Schultz C713

Sodium current and membrane potential in EDL muscle fibers from normal and dystrophic (*mdx*) mice
C. Mathes, F. Bezanilla, and R. E. Weiss C718

No. 5. NOVEMBER 1991

INVITED REVIEW

Mechanisms and regulation of ion transport in adult mammalian alveolar type II pneumocytes
S. Matalon C727

Ca^{2+} and Na^+ in rat myocytes showing different force-frequency relationships
J. E. Frampton, S. M. Harrison, M. R. Boyett, and C. H. Orchard C739

Mechanisms of H_2O_2-mediated injury to type II cell surfactant metabolism and protection with PEG-catalase
B. A. Holm, B. B. Hudak, L. Keicher, C. Cavanaugh, R. R. Baker, P. Hu, and S. Matalon C751

Effect of partial Na pump and Na-H exchange inhibition on $[Ca]_i$ during acidosis in cardiac cells
T. Nakanishi, M. Seguchi, T. Tsuchiya, E. J. Cragoe, Jr., A. Takao, and K. Momma C758

Regulation of intracellular free calcium in normal murine keratinocytes
F. H. Kruszewski, H. Hennings, S. H. Yuspa, and R. W. Tucker C767

Inducible isoform of HSP70 is constitutively expressed in a muscle fiber type specific pattern
M. Locke, E. G. Noble, and B. G. Atkinson C774

HMG CoA reductase inhibitors affect Na^+-H^+ antiport activity in human lymphoblasts
L. L. Ng and J. E. Davies C780

Force, length, and Ca^{2+}-troponin C affinity in skeletal muscle
F. Fuchs and Y.-P. Wang C787

Regulation of ACTH secretory pathways in cultured pituitary cells
J. Schwartz, S. Gibson, and A. White C793

K^+-induced inhibition of contractile force in rat skeletal muscle: role of active Na^+-K^+ transport
T. Clausen and M. E. Everts C799

Identification of a low-threshold T-type calcium channel in bovine ciliary epithelial cells
T. J. C. Jacob C808

Glycine transport by human red blood cells and ghosts: evidence for glycine anion and proton cotransport by band 3
P. A. King and R. B. Gunn C814

Enhancement of kallikrein production and kinin sensitivity in T84 cells by growth in the nude mouse
A. W. Baird, D. H. Miller, D. A. Schwartz, and H. S. Margolius C822

Iodoacetate-induced contracture in rat skeletal muscle: possible role of ADP
R. L. Ruff and J. Weissman C828

Effects of pH_i on Na^+-H^+, Na^+-dependent, and Na^+-independent Cl^--HCO_3^- exchangers in vascular smooth muscle
A. M. Kahn, E. J. Cragoe, Jr., J. C. Allen, C. L. Seidel, and H. Shelat C837

Extracellular Na^+ dependency of free cytosolic Ca^{2+} regulation in aortic vascular smooth muscle cells
D. C. Batlle, M. Godinich, M. S. LaPointe, E. Munoz, F. Carone, and N. Mehring C845

Gap junctions in rabbit corneal epithelium: limited permeability and inhibition by cAMP
J. M. Wolosin C857

Differential expression of Na channels in functional subpopulations of rat lactotropes
J. Horta, M. Hiriart, and G. Cota C865

Decreased ATP cost of isometric contractions in ATP-depleted rat fast-twitch muscle
J. M. Foley, S. J. Harkema, and R. A. Meyer C872

Actin filaments regulate epithelial Na^+ channel activity
H. F. Cantiello, J. L. Stow, A. G. Prat, and D. A. Ausiello C882

Cytosolic free Ca^{2+} and proteolysis in lethal oxidative injury in endothelial cells
M. D. Geeraerts, M.-F. Ronveaux-Dupal, J. J. Lemasters, and B. Herman C889

Proteoglycan sulfation and storage parallels storage of basic secretory proteins in exocrine cells
E. A. Blair, A. M. Castle, and J. D. Castle C897

Use of tributyltin to probe contribution of Cl^--HCO_3^- exchange to regulation of steady-state pH_i in human neutrophils
L. Simchowitz, J. A. Textor, and S. K. Vogt C906

Carrier-mediated sulfate transport in human ureteral epithelial cells cultured in serum-free medium
A. Elgavish, J. J. Wille, F. Rahemtulla, and L. Debro C916

Mechanism of phospholipase C-induced release of EDRF from pulmonary artery endothelium
W. R. Tracey, R. A. Johns, G. Romero, and M. J. Peach C927

SPECIAL COMMUNICATIONS

A compact and stable hydraulic micromanipulator patterned after a Huxley-style approach
J. W. Krueger C936

No. 6. DECEMBER 1991

INVITED REVIEW

Na^+-H^+ exchanger subtypes: a predictive review
J. D. Clark and L. E. Limbird C945

ATP-sensitive Na^+-H^+ antiport in type II alveolar epithelial cells
S. E. S. Brown, T. A. Heming, C. R. Benedict, and A. Bidani C954

Characteristics of homogeneously small keratinocytes from newborn rat skin: possible epidermal stem cells
J. H. Pavlovitch, M. Rizk-Rabin, P. Jaffray, H. Hoehn, and M. Poot C964

Permanent hexose transport upregulation in a respiration-deficient human fibroblast cell strain
S. Andrejchyshyn, L. Continelli, and R. J. Germinario C973

High-affinity binding of PDGF-AA and PDGF-BB to normal human osteoblastic cells and modulation by interleukin-1
R. S. Gilardetti, M. S. Chaibi, J. Stroumza, S. R. Williams, H. N. Antoniades, D. C. Carnes, and D. T. Graves C980

Kinetics of vasoconstrictor action of endothelins
R. Marsault, P. Vigne, J. P. Breittmayer, and C. Frelin C986

Production of transforming growth factor-α by normal rat small intestine
J. A. Barnard, W. H. Polk, H. L. Moses, and R. J. Coffey C994

Effect of gap junction number and permeability on intercellular coupling in rat myometrium
M. G. Blennerhassett and R. E. Garfield C1001

Steady-state effects of arginine vasopressin on force and pH_i of isolated mesenteric resistance arteries from rats
C. Aalkjaer and M. J. Mulvany C1010

Calcium-permeable channels in rat hepatoma cells are activated by extracellular nucleotides
C. E. Bear and C. Li C1018

Cell-cell channel formation and lectins
E. Levine, R. Werner, and G. Dahl C1025

Microprobe analysis of maturation-related elemental changes in rat parotid secretory granules
J. G. Wong, K. T. Izutsu, M. R. Robinovitch, J. M. Iversen, M. E. Cantino, and D. E. Johnson C1033

Pentose phosphate pathway in cellular trophoblasts from full-term human placentas
A. J. Moe, D. R. Farmer, D. M. Nelson, and C. H. Smith C1042

Caffeine- and ryanodine-sensitive Ca^{2+} stores of canine cerebrum and cerebellum neurons
L. G. Mészáros and P. Volpe C1048

Two outward K^+ currents in bovine pigmented ciliary epithelial cells: $I_{K(Ca)}$ and $I_{K(V)}$
T. J. C. Jacob C1055

Evidence that M_3 muscarinic receptors in rat parotid gland couple to two second messenger systems
Y. Dai, I. S. Ambudkar, V. J. Horn, C.-K. Yeh, E. E. Kousvelari, S. J. Wall, M. Li, R. P. Yasuda, B. B. Wolfe, and B. J. Baum C1063

Mitogen-induced early increase in cytosolic free Mg^{2+} concentration in single Swiss 3T3 fibroblasts
S. Ishijima, T. Sonoda, and M. Tatibana C1074

Distinct voltage-dependent regulation of a heart-delayed I_K by protein kinases A and C
K. B. Walsh and R. S. Kass C1081

Mitochondrial DNA replication and transcription are dissociated during embryonic cardiac hypertrophy
J. M. Kennedy, S. R. Lobacz, and S. W. Kelley C1091

Control of myosin heavy chain expression: interaction of hypothyroidism and hindlimb suspension
G. M. Diffee, F. Haddad, R. E. Herrick, and K. M. Baldwin C1099

Adenosine reduces the Ca^{2+} transients of isoproterenol-stimulated rat ventricular myocytes
R. A. Fenton, E. D. W. Moore, F. S. Fay, and J. G. Dobson, Jr. C1107

Potassium transfer assay for cell communication: effects of phorbol esters, retinoic acid, and furosemide
M. L. S. Ledbetter, P. L. Medrek, and B. M. Spinney C1115

Regulation of functional muscarinic receptor expression in tracheal smooth muscle cells
C. M. Yang, S.-P. Chou, T.-C. Sung, and H.-J. Chien C1123

Tissue-specific expression of multiple γ-glutamyl transpeptidase mRNAs in rat epithelia
M. Darbouy, M.-N. Chobert, O. Lahuna, T. Okamoto, J.-P. Bonvalet, N. Farman, and Y. Laperche C1130

Modulation of Na-H antiporter activity in human lymphoblasts by altered membrane cholesterol
C. E. Poli de Figueiredo, L. L. Ng, J. E. Davis, F. J. Lucio-Cazana, J. C. Ellory, and B. M. Hendry C1138

Intracellular pH in the OK cell. I. Identification of H^+ conductance and observations on buffering capacity
M. Graber, J. DiPaola, F. Hsiang, C. Barry, and E. Pastoriza C1143

Acute cell volume changes in anisotonic media affect F-actin content of HL-60 cells
K. R. Hallows, C. H. Packman, and P. A. Knauf C1154

Inhibition of atrial peptide secretion at different stages of the secretory process: Ca^{2+} dependence
E. Page, J. Upshaw-Earley, G. E. Goings, and D. A. Hanck C1162

Inhibition of sucrase-isomaltase expression by EGF in the human colon adenocarcinoma cells Caco-2
H. S. Cross and A. Quaroni C1173

MODELING IN PHYSIOLOGY

Simple harmonic motion of tropomyosin: proposed mechanism for length-dependent regulation of muscle active tension
J. J. Earley C1184

SPECIAL COMMUNICATIONS

A spectroscopic method for assessing confluence of epithelial cell cultures
B. Jovov, N. K. Wills, and S. A. Lewis C1196

RAPID COMMUNICATIONS

Muscarinic inhibition of single K_{Ca} channels in smooth muscle cells by a pertussis-sensitive G protein
H. Kume and M. I. Kotlikoff C1204

LETTERS TO THE EDITOR

Firefly luciferase-luciferin-ATP mixtures respond to etheno-ATP with an increased and steady production of light: a partial explanation of the *Limulus* ventral photoreceptor controversy
S. R. Ford and F. R. Leach C1210

Subject Index to Volume 30 C1213
Author Index to Volume 30 C1221